SAFETY DATA SHEET

GWLinc.com

Issuing Date 29-Oct-2014 Revision Date 29-Oct-2014 **Revision Number** 0

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

**GHS** product identifier

**Product Name** JET-PLEX-EPTM

Other means of identification

Product Code(s) 317

**Synonyms** JET-LUBE® JET-PLEX-EP™; ILEX JET-PLEX-EP™

Recommended use of the chemical and restrictions on use

**Recommended Use** Lubricants, Greases and Release Products, Sealant

Uses advised against No information available

Supplier's details

**Manufacturer Address** 

Jet-Lube, Inc. 4849 Homestead Rd. Suite 232

Houston, Texas 77028

TEL: 713-670-5700 (7:00 a.m. - 5:00 p.m.)

**Emergency telephone number** 

CHEMTREC: +1-703-527-3887 (INTERNATIONAL) **Emergency Telephone** 

1-800-424-9300 (NORTH AMERICA) Number

# 2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Skin Sensitization Category 1

GHS Label elements, including precautionary statements

**Emergency Overview** 

Signal Word Warning **Hazard Statements** 

May cause an allergic skin reaction



**Appearance** Red

Physical State Semi-fluid (gel).

Odor Petroleum Oil-Pungent

## **Precautionary Statements**

#### Prevention

- Avoid breathing dust/fume/gas/mist/vapors/spray.
- Contaminated work clothing should not be allowed out of the workplace.
- · Wear protective gloves.

#### **General Advice**

• Specific treatment (see supplemental first aid instructions on this label)

#### Skin

- IF ON SKIN: Wash with plenty of soap and water.
- If skin irritation or rash occurs: Get medical advice/attention.
- · Wash contaminated clothing before reuse.

#### Storage

None

#### **Disposal**

• Dispose of contents/container to an approved waste disposal plant.

### **Hazard Not Otherwise Classified (HNOC)**

Not applicable

#### Other information

Harmful to aquatic life with long lasting effects

3.03% of the mixture consists of ingredient(s) of unknown toxicity.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

### **Synonyms**

JET-LUBE® JET-PLEX-EP™; ILEX JET-PLEX-EP™

Chemical Name	CAS-No	Weight %	Trade secret
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc.	74869-21-9	90-100	*
Polysulfides, di-tert-Bu	68937-96-2	1-5	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

## **Description of necessary first-aid measures**

**Eye Contact**Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Skin Contact Wash off immediately with soap and plenty of water removing all contaminated clothes and

shoes. In the case of skin irritation or allergic reactions see a physician.

**Inhalation** Move to fresh air.

**Ingestion** Do not induce vomiting without medical advice. Clean mouth with water and afterwards

drink plenty of water.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

## Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media No information available.

#### Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes. May cause sensitization by skin contact.

**Explosion Data** 

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with the skin and the eyes. Use personal protective equipment.

**Environmental Precautions** 

**Environmental Precautions** Do not flush into surface water or sanitary sewer system. Prevent entry into waterways,

sewers, basements or confined areas.

Methods and materials for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Cleaning Up**Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

After cleaning, flush away traces with water. Prevent product from entering drains.

### 7. HANDLING AND STORAGE

Precautions for safe handling

**Handling** Wear personal protective equipment. Ensure adequate ventilation.

Conditions for safe storage, including any incompatibilities

**Storage** Keep container tightly closed. Keep out of the reach of children.

**Incompatible Products** Strong oxidizing agents. Water.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Control parameters** 

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits

established by the region specific regulatory bodies.

**Appropriate engineering controls** 

Engineering Measures Showers

Eyewash stations Ventilation systems

### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Safety glasses with side-shields.

**Skin and Body Protection** Protective gloves. Wear nitrile or rubber gloves.

**Respiratory Protection**No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should

be worn.

Hygiene Measures When using, do not eat, drink or smoke. Remove and wash contaminated clothing before

re-use.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical State Semi-fluid (gel) Appearance Red

Odor Petroleum Oil-Pungent Odor Threshold No information available

PropertyValuesRemarks/ - MethodpHNeutralNone known

рΗ Melting Point/Range > 283 °C /> 541 °F None known > 316 °C / 600.8 °F **Boiling Point/Boiling Range** None known Flash Point > 232 °C None known **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known

Flammability Limits in Air

upper flammability limitNo data availablelower flammability limitNo data availableVapor PressureNo data available

None known **Vapor Density** No data available None known **Specific Gravity** 0.90 None known Water Solubility Insoluble in water. None known Solubility in other solvents Largely. None known Partition coefficient: n-octanol/waterNo data available None known No data available None known

Autoignition TemperatureNo data availableNone knownDecomposition TemperatureNo data availableNone knownViscosityNo data availableNone known

Flammable Properties Not flammable

Explosive Properties No data available Oxidizing Properties No data available

Other information

VOC Content (%) None

## 10. STABILITY AND REACTIVITY

## Reactivity

No data available.

\_\_\_\_\_

### **Chemical stability**

Stable under recommended storage conditions.

### Possibility of hazardous reactions

None under normal processing.

#### **Hazardous Polymerization**

Hazardous polymerization does not occur.

#### Conditions to avoid

Incompatible products. Protect from moisture.

### **Incompatible materials**

Strong oxidizing agents. Water.

### **Hazardous decomposition products**

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product Information** 

InhalationNone under normal use condtionsEye ContactContact with eyes may cause irritation.

**Skin Contact** Prolonged or repeated contact may cause skin dryness or cracking.

Ingestion May be harmful if swallowed. May cause gastrointestinal discomfort if consumed in large

amounts.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Lubricating greases	= 2280 mg/kg (Rat)	-	-
A complex combination of			
hydrocarbons having carbon			
numbers predominantly in the range			
of C12 through C50. may contain			
organic salts of alkali metals,			
alkaline earth metals, etc.			
Polysulfides, di-tert-Bu	= 6500 mg/kg (Rat)	-	-

## Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

### Delayed and immediate effects and also chronic effects from short and long term exposure

**Sensitization** No information available. **Mutagenic Effects** No information available.

**Carcinogenicity** Contains no ingredients above reportable quantities listed as a carcinogen.

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration Hazard
No information available.
No information available.
No information available.

## Numerical measures of toxicity - Product

Acute Toxicity 3.03% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document:

\_\_\_\_\_

LD50 Oral 2383 mg/kg; Acute toxicity estimate

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Harmful to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc. 74869-21-9	>1001 mg/l	LC50 96 h: > 2000 mg/L (Salmo gairdneri)		
Polysulfides, di-tert-Bu 68937-96-2		LC50 96 h: 250-500 mg/L static (Pimephales promelas) LC50 96 h: > 1000 mg/L semi-static (Pimephales promelas)		EC50 48 h: > 1000 mg/L (Daphnia magna)

Persistence and Degradability No in

No information available.

**Bioaccumulation** 

No information available.

### **Other Adverse Effects**

No information available.

# 13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of in accordance with federal, state, and local regulations

**Contaminated Packaging** Do not re-use empty containers.

## 14. TRANSPORT INFORMATION

**DOT** Not regulated

# 15. REGULATORY INFORMATION

**International Inventories** 

TSCA Complies DSL Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

# U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

## SARA 311/312 Hazard Categories

Acute Health Hazard
No
Chronic Health Hazard
No
Fire Hazard
No
Sudden Release of Pressure Hazard
No

No

#### **Clean Water Act**

**Reactive Hazard** 

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### CFRCI A

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

### U.S. State Regulations

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations.

### **U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION					
NFPA	Health Hazard 1	Flammability 1	Instability 0	Physical and Chemical Hazards -	
<u>HMIS</u>	Health Hazard 1	Flammability 1	Physical Hazard 0	Personal Protection X	

Prepared By
Product Stewardship
23 British American Blvd.
Latham, NY 12110
1-800-572-6501

Issuing Date29-Oct-2014Revision Date29-Oct-2014Revision NoteInitial Release.

### **General Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet** 

\_\_\_\_\_