



1937 Mount Vernon Avenue, Pomona, California 91768-3312, USA  
1-800-540-5823 or 1-909-865-3081 [www.gwlinc.com](http://www.gwlinc.com) | [www.prolong.com](http://www.prolong.com)

# SAFETY DATA SHEET

Issuing Date 13-Apr-2015

Revision Date 20-April-2017

Revision Number 4



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability for this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved. In connection with the use of

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

Product Name	Uni-Lube 32
Other means of identification	GW1050032-00, GW1050032-01, GW1050032-05, GW1050032-55
Synonyms	None

### Recommended use of the chemical and restrictions on use

Recommended Use	Industrial Use Only
Uses advised against	No information available

### Details of the supplier of the safety data sheet

Supplier Name	GoldenWest Lubricants, Inc.
Supplier Address	1937 Mount Vernon Avenue Pomona, CA 91768-3312
Supplier Phone Number	Phone:909-865-3081 Fax:909-865-4467
Supplier Email	info@gwlinc.com
<u>Emergency telephone number</u>	
Chem-Trec(US & Canada)	Phone: 800-424-9300
Chem-Trec (International)	Phone: 703-527-3887(collect)



1937 Mount Vernon Avenue, Pomona, California 91768-3312, USA  
1-800-540-5823 or 1-909-865-3081 [www.gwlinc.com](http://www.gwlinc.com) | [www.prolong.com](http://www.prolong.com)



## 2. HAZARDS IDENTIFICATION

### Classification

Not classified as hazardous according to 29 CFR 1910.1200(2012).

### GHS Label elements, including precautionary statements

#### Emergency Overview

##### Signal word

##### Hazard Statements

This product contains no substances which at their given concentration, are considered to be hazardous to health

**Appearance** Amber

**Physical State** Oil Liquid

**Odor** Hydrocarbons

**Precautionary Statements - Prevention** Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.

##### **Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention.

##### **Precautionary Statements - Storage**

locked up.

##### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant.

**Hazards not otherwise classified (HNOC)** Not applicable.

### Unknown Toxicity

<1% of the mixture consists of ingredient(s) of unknown toxicity.

### Other information

No information available.



1937 Mount Vernon Avenue, Pomona, California 91768-3312, USA  
1-800-540-5823 or 1-909-865-3081 [www.gwlinc.com](http://www.gwlinc.com) | [www.prolong.com](http://www.prolong.com)



**Interactions with Other Chemicals** No information available.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
Petroleum distillates, hydro treated heavy paraffinic	64742-54-7	60 - 100	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret

### 4. FIRST AID MEASURES

#### **First aid measures**

##### **Eye Contact**

Avoid contact with eyes. If contact occurs, immediately flush eyes with water for a minimum of 15 minutes. Seek medical attention immediately.

##### **Skin Contact**

Avoid contact with skin. If contact occurs wash with soap and water.

##### **Inhalation**

If respiratory irritation, dizziness, nausea or unconsciousness occurs due to excessive vapor or mist exposure, seek medical attention. If the operating conditions create airborne concentrations that exceed the exposure standard, the use of an approved NIOSH/OSHA respirator for organic vapors or air-supplied breathing equipment is recommended. Remove to fresh air.

##### **Ingestion**

Do not induce vomiting. If ingested, seek medical attention.

#### **Most important symptoms and effects, both acute and delayed**

##### **Most Important Symptoms and Effects**

#### **Indication of any immediate medical attention and special treatment needed**

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

##### **General Information**

If exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

##### **Notes to Physician**

Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### **Unsuitable extinguishing media**

CAUTION: Use of water spray when fighting fire may be inefficient.



1937 Mount Vernon Avenue, Pomona, California 91768-3312, USA  
1-800-540-5823 or 1-909-865-3081 [www.gwlinc.com](http://www.gwlinc.com) | [www.prolong.com](http://www.prolong.com)



**Specific Hazards Arising from the Chemical** No information available.

**Uniform Fire Code**

Combustible Liquid: III-B

**Hazardous Combustion Products**

Highly dependent on combustion conditions. A complex mixture of airborne solids, liquids, and gases including carbon monoxide, carbon dioxide, and unidentified organic compounds will be evolved when this material undergoes combustion.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures****Personal Precautions**

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For Personal protection, see section 8 of the SDS.

**Environmental Precautions**

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

**Methods and material for containment and cleaning up**

Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For disposal, see section 13 of the SDS.

## 7. HANDLING AND STORAGE

**Precautions for safe handling**

Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.

**Conditions for safe storage, including any incompatibilities**

Store locked up. Store in original tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

**Incompatible Products**

None known based on information supplied.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Control parameters****Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
---------------	-----------	----------	------------



1937 Mount Vernon Avenue, Pomona, California 91768-3312, USA  
1-800-540-5823 or 1-909-865-3081 [www.gwline.com](http://www.gwline.com) | [www.prolong.com](http://www.prolong.com)



Petroleum distillates, hydro treated heavy paraffinic 64742-54-7	TWA: 5 mg/m <sup>3</sup> , as oil mist, mineral STEL: TWA: 10 mg/m <sup>3</sup> , as oil mist, mineral	TWA: 5 mg/m <sup>3</sup> , as oil mist, mineral	
--	---	--	--

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

**Other Exposure Guidelines** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992)

#### Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels to an acceptable level.

#### **Engineering Measures**

Showers  
Eyewash Stations  
Ventilation Systems

#### Individual protection measures, such as personal protective equipment

##### **Eye/Face Protection**

No special protective equipment required.

##### **Skin and Body Protection**

Wear protective gloves and protective clothing.

##### **Respiratory Protection**

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

##### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Physical and Chemical Properties

<b>Physical State</b>	Oil, Liquid
<b>Appearance</b>	Oily Liquid
<b>Color</b>	Amber
<b>Odor</b>	Hydrocarbons

<u>Property</u>	<u>Values</u>	<u>Remarks Method</u>
pH	Unknown	None known
<b>Melting / freezing point</b>	No data available	None known
<b>Boiling point / boiling range</b>	315 °C / 599 °F	None known
<b>Flash Point</b>	212 C / 414 F	None known
<b>Evaporation Rate</b>	No data available	None known



1937 Mount Vernon Avenue, Pomona, California 91768-3312, USA  
1-800-540-5823 or 1-909-865-3081 [www.gwline.com](http://www.gwline.com) | [www.prolong.com](http://www.prolong.com)



Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		
Upper flammability limit	No data available	
Lower flammability limit	No data available	
Specific Gravity	.86	
		None known
Water Solubility	Insoluble	None known
Solubility in other solvents	Soluble in hydrocarbons	None known
Dynamic viscosity	32	None known
Explosive properties	No data available	
Oxidizing Properties	No data available	
<u>Other Information</u> Softening		
Point	No data available	
VOC Content (%)	23.67	

## 10. STABILITY AND REACTIVITY

### Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

### Hazardous Polymerization

Hazardous polymerization does not occur.

### Conditions to avoid

None known based on information supplied.

### Incompatible materials

None known based on information supplied.

### Hazardous Decomposition Products

Carbon oxides.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

Inhalation	Inhalation of oil mist or vapors at elevated temperatures may cause respiratory irritation.
Eye Contact	Specific test data for the substance or mixture is not available.



1937 Mount Vernon Avenue, Pomona, California 91768-3312, USA  
1-800-540-5823 or 1-909-865-3081 [www.gwlinc.com](http://www.gwlinc.com) | [www.prolong.com](http://www.prolong.com)



**Skin Contact** Specific test data for the substance or mixture is not available.

**Ingestion** Specific test data for the substance or mixture is not available.

## Component Information

### Information on toxicological effects

**Symptoms** No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** No information available.

**Mutagenic Effects** No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen. Petroleum distillates are known to cause cancer because of the potential for carcinogenic components present during manufacturing. These carcinogens are removed during refinement of the distillate. The petroleum distillate present in this product is highly refined and should not be considered a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7				

**ACGIH (American Conference of Governmental Industrial Hygienists)**

**IARC (International Agency for Research on Cancer)**

**OSHA (Occupational Safety and Health Administration of the US Department of Labor)**

*This product is not listed as carcinogenic.*

**Reproductive Toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Chronic Toxicity** No known carcinogens.

**Target Organ Effects** Respiratory system. Eyes. Skin. Gastrointestinal tract (GI).

**Aspiration Hazard** No information available.

### Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document Not applicable

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

This material is not expected to be harmful to aquatic organisms. The product has not been tested. The statement has been derived from the properties of the individual components.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7		96h LC50: > 5000 mg/L (Oncorhynchus mykiss)		48h EC50: > 1000 mg/L

### Persistence and Degradability

This material is not expected to be readily biodegradable. The biodegradability of this material is based on an evaluation of data for the components or a similar material. This product has not been tested. The statement has been derived from the properties of the individual.

### Bioaccumulation

No information available

### Other adverse effects

No information available.

## 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

#### Disposal methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

#### Contaminated Packaging

Dispose of contents/containers in accordance with local regulations.

#### California Waste Code

221

## 14. TRANSPORT INFORMATION

#### DOT

Not regulated

#### TDG

Not regulated

#### MEX

Not regulated

#### ICAO

Not regulated

#### IATA

Not regulated

#### IMDG/IMO

Not regulated

#### RID

Not regulated

#### ADR

Not regulated



1937 Mount Vernon Avenue, Pomona, California 91768-3312, USA  
1-800-540-5823 or 1-909-865-3081 [www.gwlinc.com](http://www.gwlinc.com) | [www.prolong.com](http://www.prolong.com)





**ADN**

Not regulated

**15. REGULATORY INFORMATION****International Inventories**

TSCA

Complies

DSL

All components are listed either on the DSL or NDSL.

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List**US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

**SARA 311/312 Hazard Categories**

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

**US State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

This product does not contain any substances regulated by state right-to-know regulations.

**International Regulations**

Canada

WHMIS Hazard Class

**16. OTHER INFORMATION**

NFPA

Health Hazards 0 Flammability 1

Instability 0

Physical and

Chemical Hazards - 0



1937 Mount Vernon Avenue, Pomona, California 91768-3312, USA  
1-800-540-5823 or 1-909-865-3081 [www.gwlinc.com](http://www.gwlinc.com) | [www.prolong.com](http://www.prolong.com)



---

HMIS                      Health Hazards 1   Flammability 1                      Physical Hazard 0   Personal Protection X

Chronic Hazard Star Legend \* = Chronic Health Hazard

**Prepared By**                      Product Stewardship  
23 British American Blvd.  
Latham, NY 12110  
1-800-572-6501

**Issuing Date**                      13-April-2015  
**Revision Date**                      20-April-2017  
**Revision Note**                      No information available

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**



1937 Mount Vernon Avenue, Pomona, California 91768-3312, USA  
1-800-540-5823 or 1-909-865-3081 [www.gwllinc.com](http://www.gwllinc.com) | [www.prolong.com](http://www.prolong.com)

