



## 1. Identification

|   |  |
|---|--|
| <b>Product identifier</b>                                     | <b>LPS® Food Grade Chain Lubricant</b>                           |
| <b>Other means of identification</b>                          |  |
| <b>Part Number</b>  | 06016  |
| <b>Recommended use</b>  | A food grade chain lubricant for parts and equipment.            |
| <b>Recommended restrictions</b>                               | None known.  |
| <b>Manufacturer/Importer/Supplier/Distributor information</b> |  |
| <b>Manufacturer</b>   |  |
| <b>Manufacturer</b>   |  |
| <b>Company name</b>   | ITW Pro Brands   |
| <b>Address</b>  | 4647 Hugh Howell Rd.<br>Tucker, GA 30084                         |
| <b>Country</b>  | (U.S.A.)<br>Tel: +1 770-243-8800                                 |
| <b>In Case of Emergency</b>                                   | 1-800-424-9300 (inside U.S.)<br>+001 703-527-3887 (outside U.S.) |
| <b>Website</b>  | www.lpslabs.com  |
| <b>E-mail</b>   | lpssds@itwprobrands.com  |

## 2. Hazard(s) identification

|                              |                           |               |
|------------------------------|---------------------------|---------------|
| <b>Physical hazards</b>      | Flammable aerosols        | Category 2    |
|                              | Gases under pressure      | Liquefied gas |
| <b>Health hazards</b>        | Skin corrosion/irritation | Category 2    |
| <b>Environmental hazards</b> | Not classified.           |               |
| <b>OSHA defined hazards</b>  | Not classified.           |               |

### Label elements



|  |  |
|--|--|
| <b>Signal word</b>                               | Warning  |
| <b>Hazard statement</b>                          | Flammable aerosol. Contains gas under pressure; may explode if heated. Causes skin irritation.   |
| <b>Precautionary statement</b>                   |  |
| <b>Prevention</b>                                | Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Wash thoroughly after handling. Wear protective gloves. |
| <b>Response</b>                                  | If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.  |
| <b>Storage</b>                                   | Protect from sunlight. Store in a well-ventilated place. Do not expose to temperatures exceeding 50°C/122°F.   |
| <b>Disposal</b>                                  | Dispose of waste and residues in accordance with local authority requirements.   |
| <b>Hazard(s) not otherwise classified (HNOC)</b> | Combustible.   |
| <b>Supplemental information</b>                  | None known.  |

## 3. Composition/information on ingredients

### Mixtures

| Chemical name                             | Common name and synonyms | CAS number | %       |
|---|--------------------------|------------|---------|
| White Mineral Oil                         |                          | 8042-47-5  | 60 - 70 |
| Polybutene (Isobutylene/butene copolymer) |                          | 9003-29-6  | 20 - 30 |
| Petroleum Gases, Liquefied, Sweetened     |                          | 68476-86-8 | 10 - 20 |
| 2-Methylpentane                           |                          | 107-83-5   | 1 - 3   |
| 2,2-Dimethylbutane                        |                          | 75-83-2    | < 1     |
| 2,3-Dimethylbutane                        |                          | 79-29-8    | < 1     |
| 3-Methylpentane                           |                          | 96-14-0    | < 1     |

#### 4. First-aid measures

|   |  |
|---|--|
| <b>Inhalation</b>   | Move to fresh air. Call a physician if symptoms develop or persist.  |
| <b>Skin contact</b>   | Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.  |
| <b>Eye contact</b>  | Rinse with water. Get medical attention if irritation develops and persists.   |
| <b>Ingestion</b>  | Not likely, due to the form of the product. In the unlikely event of swallowing contact a physician or poison control center. Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. |
| <b>Most important symptoms/effects, acute and delayed</b>                     | Skin irritation. May cause redness and pain.   |
| <b>Indication of immediate medical attention and special treatment needed</b> | Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.   |
| <b>General information</b>  | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.   |

#### 5. Fire-fighting measures

|  |  |
|--|--|
| <b>Suitable extinguishing media</b>                                  | Water fog. Foam. Dry chemical powder. Dry chemicals. Carbon dioxide (CO2).   |
| <b>Unsuitable extinguishing media</b>                                | Do not use water jet as an extinguisher, as this will spread the fire.   |
| <b>Specific hazards arising from the chemical</b>                    | Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.  |
| <b>Special protective equipment and precautions for firefighters</b> | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.   |
| <b>Fire fighting equipment/instructions</b>                          | In case of fire: Stop leak if safe to do so. Do not move cargo or vehicle if cargo has been exposed to heat. Move containers from fire area if you can do so without risk. Cool containers exposed to heat with water spray and remove container, if no risk is involved. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out. |
| <b>Specific methods</b>  | Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. In the event of fire and/or explosion do not breathe fumes.   |
| <b>General fire hazards</b>  | Flammable aerosol. Contents under pressure. Pressurized container may explode when exposed to heat or flame.   |

#### 6. Accidental release measures

|  |   |
|--|---|
| <b>Personal precautions, protective equipment and emergency procedures</b> | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). Wear appropriate protective equipment and clothing during clean-up. Emergency personnel need self-contained breathing equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS. |
|--|---|

## Methods and materials for containment and cleaning up

Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do so without risk. Isolate area until gas has dispersed. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.

## Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

### Precautions for safe handling

Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

### Conditions for safe storage, including any incompatibilities

Level 3 Aerosol.

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store in a well-ventilated place. Stored containers should be periodically checked for general condition and leakage. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

#### US. ACGIH Threshold Limit Values

| Components                       | Type | Value    |
|----------------------------------|------|----------|
| 2,2-Dimethylbutane (CAS 75-83-2) | STEL | 1000 ppm |
|                                  | TWA  | 500 ppm  |
| 2,3-Dimethylbutane (CAS 79-29-8) | STEL | 1000 ppm |
|                                  | TWA  | 500 ppm  |
| 2-Methylpentane (CAS 107-83-5)   | STEL | 1000 ppm |
|                                  | TWA  | 500 ppm  |
| 3-Methylpentane (CAS 96-14-0)    | STEL | 1000 ppm |
|                                  | TWA  | 500 ppm  |

### Biological limit values

No biological exposure limits noted for the ingredient(s).

### Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear safety glasses with side shields (or goggles).

#### Skin protection

##### Hand protection

Wear appropriate chemical resistant gloves. Nitrile gloves are recommended.

##### Other

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

#### Respiratory protection

If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.

#### Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

**General hygiene considerations**

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

**9. Physical and chemical properties****Appearance**

|                       |                   |
|-----------------------|-------------------|
| <b>Physical state</b> | Gas.              |
| <b>Form</b>           | Aerosol.          |
| <b>Color</b>          | Clear. Colorless. |

**Odor** Mild. Hydrocarbon-like.

**Odor threshold** Not established

**pH** Not applicable

**Melting point/freezing point** Not established

**Initial boiling point and boiling range** 345.2 °F (174 °C)

**Flash point** -20.0 °F (-28.9 °C) Tag Closed Cup (dispensed liquid)

**Evaporation rate** ~8.1

**Flammability (solid, gas)** Flammable gas.

**Upper/lower flammability or explosive limits**

|                                       |                   |
|---------------------------------------|-------------------|
| <b>Flammability limit - lower (%)</b> | 1 % (estimated)   |
| <b>Flammability limit - upper (%)</b> | 9.5 % (estimated) |
| <b>Explosive limit - lower (%)</b>    | Not available.    |
| <b>Explosive limit - upper (%)</b>    | Not available.    |

**Vapor pressure** 2782 mm Hg @ 20°C

**Vapor density** ~3 (air=1)

**Relative density** Not available.

**Solubility(ies)**

**Solubility (water)** Not soluble in water

**Partition coefficient (n-octanol/water)** Not established

**Auto-ignition temperature** > 509 °F (> 265 °C)

**Decomposition temperature** Not established

**Viscosity** 164 cP @ 25°C

**Other information**

**Explosive properties** Not explosive.

**Heat of combustion** > 30 kJ/g

**Oxidizing properties** Not oxidizing.

**Percent volatile** 15 - 20 %

**Specific gravity** 0.85 - 0.87 @ 20°C

**VOC** 17.7 % per State and Federal Consumer Product Regulations  
CARB

**10. Stability and reactivity**

**Reactivity** The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

**Possibility of hazardous reactions** Hazardous polymerization does not occur.

**Conditions to avoid** Heat. Avoid temperatures exceeding the flash point. Contact with incompatible materials.

**Incompatible materials** Strong oxidizing agents.

**Hazardous decomposition products** Carbon oxides.

## 11. Toxicological information

### Information on likely routes of exposure

|                     |  |
|---------------------|--|
| <b>Inhalation</b>   | Prolonged inhalation may be harmful.                     |
| <b>Skin contact</b> | Causes skin irritation.                                  |
| <b>Eye contact</b>  | Direct contact with eyes may cause temporary irritation. |
| <b>Ingestion</b>    | Expected to be a low ingestion hazard.                   |

**Symptoms related to the physical, chemical and toxicological characteristics** Skin irritation. May cause redness and pain.

### Information on toxicological effects

**Acute toxicity** Not expected to be acutely toxic.

| Components  | Species  | Test Results           |
|---|--|------------------------|
| Polybutene (Isobutylene/butene copolymer) (CAS 9003-29-6)             |  |                        |
| <u>Acute</u>  |  |                        |
| <b>Dermal</b>   |  |                        |
| LD50  | Rat  | > 2000 mg/kg, 24 Hours |
| <b>Oral</b>   |  |                        |
| LD50  | Rat  | > 2000 mg/kg           |
| White Mineral Oil (CAS 8042-47-5)                                     |  |                        |
| <u>Acute</u>  |  |                        |
| <b>Dermal</b>   |  |                        |
| LD50  | Rabbit   | > 2000 mg/kg, 24 Hours |
| <b>Inhalation</b>   |  |                        |
| LC50  | Rat  | 2.18 mg/l, 4 Hours     |
| <b>Oral</b>   |  |                        |
| LD50  | Rat  | > 5000 mg/kg           |
| <b>Skin corrosion/irritation</b>                                      | Causes skin irritation.  |                        |
| <b>Serious eye damage/eye irritation</b>                              | Direct contact with eyes may cause temporary irritation.   |                        |
| <b>Respiratory or skin sensitization</b>                              |  |                        |
| <b>Respiratory sensitization</b>                                      | Not a respiratory sensitizer.  |                        |
| <b>Skin sensitization</b>   | This product is not expected to cause skin sensitization.  |                        |
| <b>Germ cell mutagenicity</b>   | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. |                        |
| <b>Carcinogenicity</b>  | This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.                                  |                        |
| <b>IARC Monographs. Overall Evaluation of Carcinogenicity</b>         |  |                        |
| Not listed.   |  |                        |
| <b>OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)</b> |  |                        |
| Not regulated.  |  |                        |
| <b>US. National Toxicology Program (NTP) Report on Carcinogens</b>    |  |                        |
| Not listed.   |  |                        |
| <b>Reproductive toxicity</b>  | This product is not expected to cause reproductive or developmental effects.                                     |                        |
| <b>Specific target organ toxicity - single exposure</b>               | Not classified.  |                        |
| <b>Specific target organ toxicity - repeated exposure</b>             | Not classified.  |                        |
| <b>Aspiration hazard</b>  | Not likely, due to the form of the product.  |                        |
| <b>Chronic effects</b>  | Prolonged inhalation may be harmful.   |                        |
| <b>Further information</b>  | None known.  |                        |

## 12. Ecological information

|  |  |
|--|--|
| <b>Ecotoxicity</b>                                       | The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. |
| <b>Persistence and degradability</b>                     | No data is available on the degradability of this product.   |
| <b>Bioaccumulative potential</b>                         |  |
| <b>Partition coefficient n-octanol / water (log Kow)</b> |  |
| 2,2-Dimethylbutane                                       | 3.82   |
| 2,3-Dimethylbutane                                       | 3.42   |
| 2-Methylpentane  | 3.74   |
| 3-Methylpentane  | 3.6  |
| <b>Mobility in soil</b>                                  | No data available.   |
| <b>Other adverse effects</b>                             | None known.  |

## 13. Disposal considerations

|  |   |
|--|---|
| <b>Disposal instructions</b>                 | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Dispose of contents/container in accordance with local/regional/national/international regulations. |
| <b>Local disposal regulations</b>            | Dispose in accordance with all applicable regulations.  |
| <b>Hazardous waste code</b>                  | The waste code should be assigned in discussion between the user, the producer and the waste disposal company.<br>D001: Waste Flammable material with a flash point <140 F<br>D003: Waste Reactive material   |
| <b>Waste from residues / unused products</b> | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).  |
| <b>Contaminated packaging</b>                | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.              |

## 14. Transport information

### DOT

|                                     |   |
|-------------------------------------|---|
| <b>UN number</b>                    | UN1950  |
| <b>UN proper shipping name</b>      | Aerosols, flammable   |
| <b>Transport hazard class(es)</b>   |   |
| <b>Class</b>                        | 2.1   |
| <b>Subsidiary risk</b>              | -   |
| <b>Label(s)</b>                     | 2.1   |
| <b>Packing group</b>                | Not applicable.   |
| <b>Special precautions for user</b> | Read safety instructions, SDS and emergency procedures before handling. |
| <b>Special provisions</b>           | N82   |
| <b>Packaging exceptions</b>         | 306   |
| <b>Packaging bulk</b>               | None  |

### IATA

|                                     |   |
|-------------------------------------|---|
| <b>UN number</b>                    | UN1950  |
| <b>UN proper shipping name</b>      | Aerosols, flammable   |
| <b>Transport hazard class(es)</b>   |   |
| <b>Class</b>                        | 2.1   |
| <b>Subsidiary risk</b>              | -   |
| <b>Packing group</b>                | Not applicable.   |
| <b>Environmental hazards</b>        | No.   |
| <b>ERG Code</b>                     | 10L   |
| <b>Special precautions for user</b> | Read safety instructions, SDS and emergency procedures before handling. |
| <b>Other information</b>            |   |
| <b>Passenger and cargo aircraft</b> | Allowed with restrictions.  |
| <b>Cargo aircraft only</b>          | Allowed with restrictions.  |

### IMDG

|                                |          |
|--------------------------------|----------|
| <b>UN number</b>               | UN1950   |
| <b>UN proper shipping name</b> | AEROSOLS |

**Transport hazard class(es)****Class** 2**Subsidiary risk** -**Packing group** Not applicable.**Environmental hazards****Marine pollutant** No.**EmS** F-D, S-U**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.**Transport in bulk according to** Not applicable.**Annex II of MARPOL 73/78 and  
the IBC Code****DOT****IATA; IMDG****General information**

Avoid transport on vehicles where the load space is not separated from the driver's compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency. Before transporting product containers: Ensure that containers are firmly secured. Ensure cylinder valve is closed and not leaking. Ensure valve outlet cap nut or plug (where provided) is correctly fitted. Ensure valve protection device (where provided) is correctly fitted. Ensure adequate ventilation. Ensure compliance with applicable regulations.

**15. Regulatory information****US federal regulations**

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

**SARA 304 Emergency release notification**

Not regulated.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not regulated.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)****Hazard categories**

Immediate Hazard - Yes  
Delayed Hazard - No  
Fire Hazard - Yes  
Pressure Hazard - Yes  
Reactivity Hazard - No

**SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312 Hazardous chemical** Yes

**SARA 313 (TRI reporting)**  
Not regulated.

#### Other federal regulations

##### **Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

##### **Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Safe Drinking Water Act (SDWA)** Not regulated.

**US state regulations** California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

**US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))**

Petroleum Gases, Liquefied, Sweetened (CAS 68476-86-8)

#### International Inventories

| Country(s) or region        | Inventory name   | On inventory (yes/no)* |
|-----------------------------|--|------------------------|
| Australia                   | Australian Inventory of Chemical Substances (AICS)                     | No                     |
| Canada                      | Domestic Substances List (DSL)   | Yes                    |
| Canada                      | Non-Domestic Substances List (NDSL)                                    | No                     |
| China                       | Inventory of Existing Chemical Substances in China (IECSC)             | No                     |
| Europe                      | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes                    |
| Europe                      | European List of Notified Chemical Substances (ELINCS)                 | No                     |
| Japan                       | Inventory of Existing and New Chemical Substances (ENCS)               | No                     |
| Korea                       | Existing Chemicals List (ECL)  | No                     |
| New Zealand                 | New Zealand Inventory  | No                     |
| Philippines                 | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | No                     |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory                          | Yes                    |

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### 16. Other information, including date of preparation or last revision

**Issue date** 09-01-2015

**Revision date** 08-24-2016

**Version #** 02

##### **Disclaimer**

ITW Pro Brands cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Revision information** This document has undergone significant changes and should be reviewed in its entirety.