

SAFETY DATA SHEET



1. Identification

Product identifier LPS 3® (Bulk)

Other means of identification

Part Number 00322, 03128, 00305, 00355

Recommended use A specialized soft-film coating designed to prevent rust and corrosion on steel, aluminum and

other metals.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer Manufacturer

Company name LPS Laboratories, a division of Illinois Tool Works, Inc.

Address 4647 Hugh Howell Rd.

Tucker, GA 30084

Country (U.S.A.)

Tel: +1 770-243-8800

In Case of Emergency 1-800-424-9300 (inside U.S.)

+001 703-527-3887 (outside U.S.)

Website www.lpslabs.com E-mail sds@lpslabs.com

2. Hazard(s) identification

Physical hazardsFlammable liquidsCategory 3Health hazardsSkin corrosion/irritationCategory 2Serious eye damage/eye irritationCategory 2Aspiration hazardCategory 1

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Flammable liquid and vapor. Causes skin irritation. Causes serious eye irritation. May be fatal if

swallowed and enters airways.

Precautionary statement

Prevention Observe good industrial hygiene practices. Keep away from heat/sparks/open flames/hot

surfaces. - No smoking. Wear protective gloves/eye protection/face protection. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary

measures against static discharge. Wash thoroughly after handling.

Response IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with

water/shower. Wash with plenty of soap and water. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see this label). Do NOT induce vomiting. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before

reuse. In case of fire: Use appropriate media for extinction.

Storage Store in a well-ventilated place. Keep cool. Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

Not classified.

3. Composition/information on ingredients

Mixtures

Material name: LPS 3® (Bulk)

699 Version #: 02 Revision date: 06-17-2013 Issue date: 06-03-2013

Hazardous components
Chemical nameCommon name and synonymsCAS number%Light Mineral Spirits64742-88-750 - < 60</td>Distillates Petroleum, Hydrotreated
Light64742-47-85 - < 10</td>

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Other components below reportable levels

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing

stops, provide artificial respiration. Do not use mouth-to-mouth method if victim inhaled the

substance. Call a physician if symptoms develop or persist.

Skin contact Take off immediately all contaminated clothing. Wash off with warm water and soap. For minor

skin contact, avoid spreading material on unaffected skin. Get medical attention if irritation

develops and persists.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. If eye irritation persists: Get medical advice/attention. Get medical

attention if irritation develops and persists. Get medical attention if symptoms occur.

Ingestion

Call a physician or poison control center immediately. Only induce vomiting at the instruction of

medical personnel. Never give anything by mouth to an unconscious person. If vomiting occurs.

keep head low so that stomach content doesn't get into the lungs.

disturbances and vomiting, and are reversible if exposure is stopped.

Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO2).

Most important symptoms/effects, acute and delayed

Irritation of eyes and mucous membranes. Discomfort in the chest. Shortness of breath. Coughing. Irritant effects. Defatting of the skin. Skin irritation. Rash. Symptoms of overexposure can include shortness of breath, drowsiness, headaches, confusion, decreased coordination, visual

Indication of immediate medical attention and special treatment needed

In case of shortness of breath, give oxygen. Keep victim under observation. Symptoms may be delayed.

aciayou

General informationEnsure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

Fire may produce irritating, corrosive and/or toxic gases.

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection.

Fire-fighting equipment/instructions

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use standard firefighting procedures and consider the hazards of other involved materials. In the event of fire, cool tanks with water spray. If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also consider initial evacuation for 800 meters (1/2 mile) in all directions. ALWAYS stay away from tanks engulfed in flame. Some of these materials, if spilled, may evaporate leaving a flammable residue.

Specific methods

In the event of fire and/or explosion do not breathe fumes. Use water spray to cool unopened containers. Move container from fire area if it can be done without risk. Use standard firefighting procedures and consider the hazards of other involved materials. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Consider initial downwind evacuation for at least 500 meters (1/3 mile). Keep unnecessary personnel away. Ventilate closed spaces before entering them. Keep upwind. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Use personal protection recommended in Section 8 of the SDS.

Pomona, California USA 1-800-540-5823 / 1-909-865-3081

30 - < 40

gwlinc.com

Material name: LPS 3® (Bulk)

Methods and materials for containment and cleaning up Extinguish all flames in the vicinity.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Use water spray to reduce vapors or divert vapor cloud drift. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Keep away from sources of ignition - No smoking. All equipment used when handling the product must be grounded. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, on clothing. Avoid prolonged exposure. Do not use in areas without adequate ventilation. Wear personal protective equipment. Wash thoroughly after handling. Observe good industrial hygiene practices. Avoid release to the environment.

Conditions for safe storage, including any incompatibilities Level 1 Aerosol

Do not handle or store near an open flame, heat or other sources of ignition. Keep container tightly closed. Store in a well-ventilated place. Store locked up. Keep out of the reach of children. Use care in handling/storage.

Value

8. Exposure controls/personal protection

Occupational exposure limits

US. NIOSH: Pocket Guide to Chemical Hazards Components Type

Distillates Petroleum Hydrotreated Light (CAS 64742-47-8)

REL 100 mg/m3

Biological limit values

Appropriate engineering controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles). Eye wash fountain is recommended.

Skin protection

Hand protection For prolonged or repeated skin contact use suitable protective gloves. Chemical resistant gloves

are recommended.

Other

Avoid contact with clothing. Wear suitable protective clothing. Chemical resistant gloves.

Respiratory protection

No personal respiratory protective equipment normally required. Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate

protection.

Thermal hazards

Not applicable.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance Liquid. Physical state Liquid. **Form** Liquid. Color Brown. Odor Mild. Cherry. Odor threshold Not Established Not Applicable pН Melting point/freezing point Not Established

Initial boiling point and boiling 354.2 °F (179 °C) range

Pomona, California USA 1-800-540-5823 / 1-909-865-3081 gwlinc.com

Material name: LPS 3® (Bulk)

SDS US

Flash point 104.00 - 113.00 °F (40.00 - 45.00 °C) Tag Closed Cup

Evaporation rate 151 (Ethyl Ether = 1)

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower 1 %

(%)

Flammability limit - upper

(%)

7 %

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure > 1 mm Hg @ 20°C

Vapor density5.48 (air = 1)Relative densityNot available.Solubility(ies)Negligible

Partition coefficient

Not Established

(n-octanol/water)

Auto-ignition temperature 474.8 °F (246 °C)

Decomposition temperature Not Established

Viscosity 200 - 400 cP @ 25°C

Other information

Percent volatile 70 - 80 %

Specific gravity 0.81 - 0.83 @ 20°C

VOC (Weight %) 73.5 % per U.S. State and Federal Consumer Product Regulations

10. Stability and reactivity

Reactivity Strong oxidizing agents.

Chemical stability Material is stable under normal conditions. Instability caused by elevated temperatures. Risk of

ignition.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoidAvoid temperatures exceeding the flash point. This product may react with oxidizing agents.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

Carbon oxides.

11. Toxicological information

Information on likely routes of exposure

Ingestion May be harmful if swallowed. May be fatal if swallowed and enters airways.

Inhalation May cause irritation to the respiratory system.

Skin contact Causes skin irritation.

Eye contact Causes serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Irritating to eyes, respiratory system and skin. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Symptoms of overexposure may be headache, dizziness, tiredness,

nausea and vomiting.

Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

Causes serious eye irritation.

irritation

Respiratory sensitization Based on available data, the classification criteria are not met.

Skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Based on available data, the classification criteria are not met.

Material name: LPS 3® (Bulk)

699 Version #: 02 Revision date: 06-17-2013 Issue date: 06-03-2013

Pomona, California USA
1-800-540-5823 / 1-909-865-3081
qwlirc.com

SDS US

Reproductive toxicity

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Pomona, California USA 1-800-540-5823 / 1-909-865-3081 gwlinc.com

Aspiration hazard

May be harmful if swallowed and enters airways.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects.

Persistence and degradability Not inherently biodegradable. Bioaccumulative potential No data available for this product.

Mobility in soil Not available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Hazardous waste code D001: Waste Flammable material with a flash point <140 F

Waste from residues / unused

products

Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Dispose of in accordance with local

regulations. Avoid discharge into water courses or onto the ground.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Do not re-use empty containers.

14. Transport information

DOT

Not regulated as a hazardous material by DOT.

IATA

UN number UN1268

UN proper shipping name Petroleum distillates, n.o.s.

Transport hazard class(es) 3 Subsidiary class(es) Ш **Packaging group Environmental hazards** Nο

Labels required Not available.

ERG Code

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number UN1268

UN proper shipping name PETROLEUM DISTILLATES, N.O.S. or PETROLEUM PRODUCTS, N.O.S.

Transport hazard class(es) Subsidiary class(es) Ш Packaging group **Environmental hazards**

Marine pollutant No

Not available. Labels required **EmS** F-E, S-E

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

This substance/mixture is not intended to be transported in bulk.

Material name: LPS 3® (Bulk)

SDS US

5/7



Pomona, California USA 1-800-540-5823 / 1-909-865-3081 gwlirc.com

15. Regulatory information

US federal regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

SARA 304 Emergency release notification

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely

hazardous substance

SARA 311/312 Hazardous No

chemical

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

Not listed.

Food and Drug

Not regulated.

Not regulated.

Administration (FDA)

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Pennsylvania RTK - Hazardous Substances

Not regulated.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

International Inventories

Country(s) or region Inventory name On inventory (yes/no)*

CanadaDomestic Substances List (DSL)YesCanadaNon-Domestic Substances List (NDSL)No

Material name: LPS 3® (Bulk)

699 Version #: 02 Revision date: 06-17-2013 Issue date: 06-03-2013

Country(s) or region Inventory name On inventory (yes/no)*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

16. Other information, including date of preparation or last revision

 Issue date
 06-03-2013

 Revision date
 06-17-2013

Version # 02

Further information Not available.

HMIS® ratings Health: 1
Flammability: 2

Physical hazard: 0

NFPA ratings Health: 1

Flammability: 2 Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Revision Information Composition / Information on Ingredients: Disclosure Overrides

Physical & Chemical Properties: Multiple Properties Regulatory information: US state regulations Regulatory information:
CDOUBLE INDENT>

LUBRICANTS,INC
Pomona, California USA
1-800-540-5823 / 1-909-865-3081

gwlinc.com

Material name: LPS 3® (Bulk)